UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/690,243	10/17/2000	Ari Engelberg	36530/RRT/S850	2962
	7590 05/20/200 RKER & HALE, LLP		EXAMINER	
PO BOX 7068		ELISCA, PIERRE E		
PASADENA, CA 91109-7068			ART UNIT	PAPER NUMBER
			3621	
			MAIL DATE	DELIVERY MODE
			05/20/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)	
	09/690,243	ENGELBERG ET AL.	
Office Action Summary	Examiner	Art Unit	
	Pierre E. Elisca	3621	
The MAILING DATE of this communication ap Period for Reply	ppears on the cover sheet with the o	correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING ID. - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period. - Failure to reply within the set or extended period for reply will, by statuly Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION .136(a). In no event, however, may a reply be tired will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE	N. nely filed the mailing date of this communication. ED (35 U.S.C. § 133).	
Status			
Responsive to communication(s) filed on 11 I This action is FINAL . 2b) ☐ This action is FINAL . Since this application is in condition for allowatelessed in accordance with the practice under	is action is non-final. ance except for formal matters, pro		
Disposition of Claims			
4)	awn from consideration. is/are rejected.		
Application Papers			
9) The specification is objected to by the Examin 10) The drawing(s) filed on is/are: a) ac Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E	cepted or b) objected to by the drawing(s) be held in abeyance. Se ction is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of: 1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	nts have been received. nts have been received in Applicat ority documents have been receive au (PCT Rule 17.2(a)).	ion No ed in this National Stage	
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate	

Art Unit: 3621

DETAILED ACTION

1. This communication is in response to Applicant's amendment filed on 02/11/2008.

2. Claims 1-4, 8, 10-40, and 42-79 are currently pending.

Allowable Subject Matter

3. Claims 32 and 72 are allowed over the prior art of record.

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 1-4, 8, 10-31, 33-40, 42-71, and 73-79 are rejected under 35 U.S.C. 103(a) as being unpatentable over Whitehouse (U.S. Patent No. 6,005,945 (applicant submitted IDS) in view of Pang et al (U.S. Patent No 6,446,204).

As per claim 1, Whitehouse teaches a on-line system for printing value bearing items a client system and a server comprising a database remote from the client system and including information about a plurality of users, a plurality of security device transaction data records stored in the database to ensure authenticity of the plurality of users (see figs 3, 4, column 7 line 54-8 line 11 also see fig 4, column 8 lines 23-29, 54-

Application/Control Number: 09/690,243

Art Unit: 3621

58, 9 line 15-19). Whitehouse fail to teach scalable server system capable of communicating with the client system over a communication network wherein the scalable server system is configured to process each security device transaction data record can be processed in a stateless manner; an a stateless cryptographic module to authenticate the users using the plurality of security device transaction data records stored in the database. However, Pang et al teach scalable server system capable of communicating with the client system over a communication network wherein the scalable server system is configured to process each security device transaction data record can be processed in a stateless manner; an a stateless cryptographic module to authenticate the users using the plurality of security device transaction data records stored in the database (see abstract, figs 2, 6 and 8, column 23 lines 26-64, 25 lines 1-20). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Whitehouse et al. disclosure to include Pang et al. scalable server system capable of communicating with the client system over a communication network wherein the scalable server system is configured to process each security device transaction data record can be processed in a stateless manner; an a stateless cryptographic module to authenticate the users using the plurality of security device transaction data records stored in the database because this would have ensure that client would be properly authenticate whenever service is needed thereby enhance the flexibility of the system.

Page 3

As per claim 2, Whitehouse teaches a system wherein each security device transaction data is related to a user (see column 9 lines 12-20).

Page 4

As per claim 3, Whitehouse teaches a system wherein the security device transaction data related to a user is loaded into the cryptographic module when the user requests to operate on a value bearing item (see column 9 lines 45-50).

As per claim 4, Whitehouse teaches a system wherein the security device transaction data related to a user is updated and returned to the database (see column 9 line 51-63, 12 line 53-56).

As per claim 8, Whitehouse teaches a system further comprising computer executable code for load-balancing to distribute traffic among the multiple cryptographic modules (see column 19 line 35-20 line 8).

As per claim 10, Whitehouse teaches a system wherein the database is partitioned across a plurality of physical databases (see fig 7).

As per claim 11, Whitehouse teaches a system wherein the cryptographic module performs cryptographic function on a transaction related to the database (see fig 7).

As per claim 12, Whitehouse teaches a system further comprising computer executable code for password authentication to prevent unauthorized access to the database (see column 10 line 45-60).

As per claim 13, Whitehouse teaches a system wherein the database stores a first set of one or more last database transactions and the cryptographic module stores a second set of one or more last database transactions for comparison with the first set of one or more last database transactions stored in the database to verify each database transaction (see column 8 line 63-9 line 12).

As per claim 14, Whitehouse teaches a system wherein the cryptographic module prevents further database transactions if the second set of one or more last transaction stored in the cryptographic module does not compare with the first set of one or more last transaction stored in the database (see column 9 lines 1-12).

As per claim 15, Whitehouse teaches a system wherein the cryptographic module includes a data validation subsystem for allowing the module to verify that data is up to date and an auto-recovery subsystem for automatically re-synchronize the module with the data (see column 9 line 32-50).

As per claim 16, Whitehouse teaches a system wherein the cryptographic module includes a computer executable code for preventing unauthorized modification of data (see column 15 line 1-17).

As per claim 17, Whitehouse teaches a system wherein the cryptographic module includes a computer executable code for ensuring the proper operation of cryptographic security and VBI related meter functions (see column 16 line 45-67).

As per claim 18, Whitehouse teaches a system wherein the cryptographic module includes a computer executable code for supporting multiple concurrent users (see fig 7).

As per claim 19, Whitehouse teaches a system wherein the database includes one or more indicium data elements, data for account maintenance, and data for revenue protection (see fig 4).

As per claim 20 and 21, Whitehouse teaches a system wherein the database includes virtual meter information and a descending register data (see column 10 line 50-11 line 26, 14 lines 25-36).

As per claims 22 and 23, Whitehouse teaches a system wherein the value bearing item is a mail piece that comprises a digital signature (see column 7 lines 1-5, 8 line 47-51 and 11 lines 27-29.

As per claim 24, Whitehouse teaches a system wherein the cryptographic module performs cryptographic function on validation information according to a user request for printing a VBI (see column 9 lines 12-30).

As per claim 25, Whitehouse teaches a system wherein the cryptographic module generates data sufficient to print a postal indicium in compliance with postal service regulation on a mail piece (see column 8 line 65-9 line 11).

As per claims 26-31, Whitehouse teaches a system wherein a bar code is printed on the value bearing item that is a ticket, is a coupon, is currency, a voucher, a traveler's check (see column 8 lines 14-18, 13 lines 56-60).

As per claim 33, Whitehouse teaches a system wherein each security device transaction data includes one or more of a private key, a public key, and a public key certificate, wherein the private key is used to sign module status responses and a VBI which, in conjunction with a public key certificate, demonstrates that the module and the VBI are authentic (see column 9 lines 12-50, 13 lines 20-36).

As per claim 34, Whitehouse teaches a system wherein the cryptographic module is capable of performing one or more of Rivest, Shamir and Adleman (RSA) public key

encryption, DES, Triple-DES, DSA signature, SHA-1, and Pseudo-random number generation algorithms (see column 23 lines 49-59).

As per claim 35, Whitehouse teaches a system wherein the server system further comprises one or more of a postal server subsystem, a provider server subsystem, an e-commerce subsystem, a staging subsystem, a client support subsystem, a decision support subsystem, a SMTP subsystem, an address matching service subsystem, a SSL proxy server subsystem, and a web server subsystem (see figs 3 and 4).

As per claim 36, Whitehouse teaches a system wherein the database includes one or more of a postal database, a provider database, an e-commerce database, and a membership database (see fig 3, 4).

As per claim 37, Whitehouse teaches a system further comprising an address matching server for verifying a correct address specified by a user (see column 12 line 65-13 line 15).

As per claim 38, Whitehouse teaches a system further comprising a printer driver database for storing supported printer driver information (see figs 3 and 4).

As per claim 39, Whitehouse teach a method for printing value-beating items (VBI) via a communication network including a client system and a server system the method

Application/Control Number: 09/690,243

Art Unit: 3621

comprising accepting print requests from one or more users by the client system, communicating the print requests to the server system over the communication network, storing in a database a plurality of security device transaction data records, ensuring authenticity of the one or more users, utilizing a respective security device transaction data record (see figs 3, 4, column 7 line 54-8 line 11 also see fig 4, column 8 lines 23-29, 54-58, 9 line 15-19). Whitehouse fail to teach a system for processing in a stateless manner each security device transaction data record in the server system and authenticating by a scalable cryptographic module the one or more users utilizing one or more of the plurality of security device transaction data record stored in the database... However, Pang el al teach a system for processing in a stateless manner each security device transaction data record in the server system and authenticating by a scalable cryptographic module the one or more users utilizing one or more of the plurality of security device transaction data record stored in the database (see abstract, figs 2, 6 and 8, column 23 lines 26-64, 25 lines 1-20). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Whitehouse et al's invention to include Pangs et al's system for processing in a stateless manner each security device transaction data record in the server system and authenticating by a scalable cryptographic module the one or more users utilizing one or more of the plurality of security device transaction data record stored in the database because this would have ensure that client would be properly authenticate whenever service is needed thereby enhance the flexibility of the system

Page 9

As per claim 40, Whitehouse teaches a method wherein each security device transaction data is related to a user (see column 9 lines 12-20).

As per claim 42, Whitehouse teaches a method further comprising of updating and returning the security device transaction data related to a user to the database (see column 9 line 51-63, 12 line 53-56).

As per claim 43, Whitehouse teaches a method further comprising adding at least one more stateless cryptographic module, wherein each cryptographic module is capable of processing any of the plurality of security device transaction data (*see column 9 line 51-63*).

As per claim 44, Whitehouse teaches a method further comprising of authenticating a user using any of the cryptographic modules (see column 9 line 51-63).

As per claim 45, Whitehouse teaches a method further comprising load-balancing to route user requests to the at least one more cryptographic module *see column 19 line 35-20 line 8*).

As per claim 46, Whitehouse teaches a method further comprising load-balancing to distribute traffic among the multiple cryptographic modules *see column 19 line 35-20 line 8*).

As per claim 47, Whitehouse teaches a method further comprising authenticating any of the one or more users using the cryptographic module (see column 9 line 51-63).

As per claim 48, Whitehouse teaches a method comprising partitioning the database across a plurality of physical databases (*see fig 7*).

As per claim 49, Whitehouse teaches a method further comprising encrypting database transactions using the cryptographic module (see column 10 line 45-60).

As per claim 50, Whitehouse teaches a method further comprising verifying a user password before granting access to the database (see column 15 line 1-17).

As per claim 51, Whitehouse teaches a method further comprising storing one or more last database transactions in the database storing one or more last database transactions in the cryptographic module; and comparing the one or more last database transactions stored in the database with the one or more last database transactions stored in the cryptographic module to verify each database transaction (*see column 16 line 45-67*).

As per claim 52, Whitehouse teaches a method further comprising encrypting transactions related to the database using the cryptographic module (see column 15 line 1-17).

As per claim 53, Whitehouse teaches a method further comprising storing one or more last database transactions in the database, storing one or more last database transactions in the cryptographic module for comparison with the one or more last database transactions stored in the database to verify each database transaction (see column 10 line 45-60).

As per claim 54, Whitehouse teaches a method further comprising preventing further database transactions if the one or more last transaction stored in the cryptographic module does not compare with the one or more last transaction stored in the database (see column 8 line 63-9 line 12).

As per claim 55, Whitehouse teaches a method further comprising preventing unauthorized modification of data using the cryptographic module (see column 16 line 45-67).

As per claim 56, Whitehouse teaches a method further comprising verifying that the database is up to date (see column 10 line 45-60).

As per claim 57, Whitehouse teaches a method further comprising automatically resynchronizing the cryptographic module with the database (see column 9 line 51-63).

As per claim 58, Whitehouse teaches a method further comprising ensuring the proper operation of cryptographic security and VBI related meter functions (see column 9 lines 12-20).

As per claim 59, Whitehouse teaches a method further comprising supporting multiple concurrent operators (see fig 7).

As per claim 60, Whitehouse teaches a method further comprising storing information about a number of last transactions in a respective internal register of each of the one or more cryptographic devices, storing a table including the information about a last transaction in the database, comparing the information saved in the respective device with the respective information saved in the database; and loading a new transaction data if the respective information stored in the device compares with the respective information stored in the database (see column 10 line 45-11 line 25).

As per claim 61, Whitehouse teaches a method further comprising the step of storing data for creating one or more indicium, account maintenance, and revenue protection (see column 10 line 45-11 line 25).

As per claims 62-65, Whitehouse teaches a method further comprising printing a mail piece includes a digital signature, a postage amount, an ascending register of used postage and descending register of available postage (see column 13 lines 20-40, 14 line 25-36, 16 lines 19-38).

As per claims 66-71, Whitehouse teaches a method further comprising printing a ticket, a bar code, a coupon, currency, a voucher, a traveler's check (see column 7 line 46-53, 8 line 14-18, 13 lines 56-60).

As per claim 73, Whitehouse teaches a method further comprising performing one or more of Rivest, Shamir and Adleman (RSA) public key encryption, DES, Triple-DES, DSA signature, SHA-I, and Pseudo-random number generation algorithms using each of the cryptographic devices (*see 23 lines 49-59*).

As per claim 74, Whitehouse teaches a method further comprising keeping track of user accesses to a vendor website using a website database (see fig 7).

As per claim 75, Whitehouse teaches a method further comprising storing postal transaction data, financial transaction data, customer marketing information, commerce product information, meter license information, meter resets, meter history, and meter movement information in an offline database (see column 10 line 45- 11 line 29).

As per claim 76, Whitehouse teaches a method further comprising storing customer information, financial transactions, and information for marketing queries in a data warehouse database (see column 9 lines 12-31).

As per claim 77, Whitehouse teaches a method further comprising authorizing and capturing funds from a customer's account and transferring the funds to a vendor's account using an e-commerce server (see column 11 line 60-67).

As per claim 78, Whitehouse teaches a method further comprising verifying a correct address specified using a user using an address matching server (see column 9 line 51-63, 12 line 53-56).

As per claim 79, Whitehouse teaches a method further comprising storing supported printer driver information in a printer driver database (see figs 3 and 4).

RESPONSE TO ARGUMENTS

6. Applicant's arguments with respect to claims 1-4, 8, 10-40, and 42-79 have been considered but are not persuasive.

REMARKS

7. In response to Applicant's filed on 02/11/2008, Applicant argues that the prior art of record (Whitehouse 945" and Pang 204") fail to teach:

Art Unit: 3621

a. "wherein when a VBI printing request from a current user is received by the server system, an available cryptographic device from the plurality of cryptographic devices loads the current user's transaction data record and instantiates a user state in the transaction data record to process the VBI printing requests from the current user". However, it is the Examiner believes that whitehouse discloses Applicant's newly added limitation described above in *figs 3, 4, column 7 line 54-8 line 11 also see fig 4, column 8 lines 23-29, 54-58, 9 line 15-19*).

b. a stateless cryptographic module to authenticate any of the plurality of users using one or more of the plurality of security device transaction data records of stored in the database, in a stateless manner". As indicated above, the Examiner believes that Whitehouse fail to teach scalable server system capable of communicating with the client system over a communication network wherein the scalable server system is configured to process each security device transaction data record can be processed in a stateless manner; an a stateless cryptographic module to authenticate the users using the plurality of security device transaction data records stored in the database. However, Pang et al teach scalable server system capable of communicating with the client system over a communication network wherein the scalable server system is configured to process each security device transaction data record can be processed in a stateless manner; an a stateless cryptographic module to authenticate the users using the plurality of security device transaction data records stored in the database (see abstract, figs 2, 6 and 8, column 23 lines 26-64, 25 lines 1-20). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to

Art Unit: 3621

modify Whitehouse et al. disclosure to include Pang et al scalable server system capable of communicating with the client system over a communication network wherein the scalable server system is configured to process each security device transaction data record can be processed in a stateless manner; an a stateless cryptographic module to authenticate the users using the plurality of security device transaction data records stored in the database because this would have ensure that client would be properly authenticate whenever service is needed thereby enhance the flexibility of the system.

c. Applicant further argues that there is any disclosure in Pang about the authentication engines 802, 804, and 806 being stateless and being able to authenticate. However, the Examiner respectfully disagrees with Applicant's characterization of the prior art. Pang discloses a distributed application server that provides for extensible authentication mechanism in a stateless web environment (see., figs 7A, 7B, and fig 8, the system of Pang, fig 8 has been performed in a stateless web environment, and therefore, Applicant argument is moot).

Conclusion

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Pierre E. Elisca whose telephone number is 571 272 6706. The examiner can normally be reached on 6:30 to 5:00. Hoteler.

Art Unit: 3621

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Andrew Fischer can be reached on 571 272 6779. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/ Pierre E. Elisca/ Primary Examiner, Art Unit 3621